
SECTION 1. Identification of the substance/mixture and of the company/undertaking .

1.1 Product identifier

Product Name : Air Freshener / VOLCANO - C

Relevant identified uses of the substance or mixture and uses advised against

Air freshener for car

1.2 Details of the supplier of the safety data sheet .

Company:

Zhejiang Jeeboss Car Appliance Co., Ltd.
No.10, Qunxing Road,Xianyan Industry Zone,
Ou'hai District,
WENZHOU
CHINA

Telephone: 008657785339816

Telefax: 008657785313555

E-mail address: topcar@vip.163.com

1.3 Emergency telephone number

008657785339818

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 4

Skin irritation, Category 2,

Skin sensitisation, Category 1,

Specific target organ toxicity - single exposure, Category 3, Central nervous system

Aspiration hazard, Category 1,

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Issue Date Feb.14,2019

JEEBOSS

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Signal word

Danger

Hazard statements:

- H226: Flammable liquid and vapour.
- H303: May be harmful if swallowed.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H319: Causes serious eye irritation.
- H336: May cause drowsiness or dizziness.
- H411: Toxic to aquatic life with long lasting effects.

Precautionary statements:

- P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233: Keep container tightly closed.
- P240: Ground/bond container and receiving equipment.
- P241: Use explosion-proof electrical/ ventilating/ lighting equipment.
- P242: Use only non-sparking tools.
- P243: Take precautionary measures against static discharge.
- P261: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
- P264: Wash skin thoroughly after handling.
- P271: Use only outdoors or in a well-ventilated area.
- P272: Contaminated work clothing should not be allowed out of the workplace.
- P273: Avoid release to the environment.
- P280: Wear protective gloves/ eye protection/ face protection.
- P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
- P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304 + P340 + P312: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
- P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312: Call a POISON CENTER/doctor if you feel unwell.
- P331: Do NOT induce vomiting.
- P333 + P313: If skin irritation or rash occurs: Get medical advice/ attention.
- P337 + P313: If eye irritation persists: Get medical advice/ attention.
- P362 + P364: Take off contaminated clothing and wash it before reuse.

P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P391: Collect spillage.

P403 + P233: Store in a well-ventilated place. Keep container tightly closed.

P403 + P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

no data available

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP

SECTION 3. Composition/information on ingredients

3.1 Pure substance/mixture : Mixture

Chemical nature : Fragrance for Car Air Freshener

3.2 Mixtures

Hazardous components

Chemical name	CAS-No.	Concentration
Naphtha, petroleum, hydrotreated heavy	64742-48-9	20 - 25%
Acetic acid, hexyl ester	142-92-7	5 - 10%
7-Octen-2-ol, 2,6-dimethyl-	18479-58-8	5 - 10%
Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-, 2-acetate, (1R,2R,4R)-rel-	125-12-2	5 - 10%
Octanal, 2-(phenylmethylene)-	101-86-0	5 - 10%
Acetic acid, phenylmethyl ester	140-11-4	5 - 10%
Terpineol, acetate	8007-35-0	5 - 10%
Cyclohexanol, 4-(1,1-dimethylethyl)-, 1-acetate	32210-23-4	2.5 - 5%
Terpineol, dihydro-, acetate	58985-18-5	2.5 - 5%
Hexanoic acid, 2-propen-1-yl ester	123-68-2	2.5 - 5%
1,6-Octadiene, 3,7-dimethyl-	2436-90-0	1 - 5%
Heptanoic acid, 2-propen-1-yl ester	142-19-8	1 - 2.5%

Phenol, 2-methoxy-4-(2-propen-1-yl)-	97-53-0	1 - 2.5%
Cyclohexanol, 1-methyl-4-(1-methylethethyl)-	138-87-4	1 - 2.5%
3-Cyclohexene-1-methanol, .alpha.,.alpha.,4-trimethyl-	98-55-5	1 - 2.5%
2H-1-Benzopyran-2-one	91-64-5	1 - 2.5%
4,7-Methano-1H-indenol, 3a,4,5,6,7,7a-hexahydro-, acetate	54830-99-8	1 - 2.5%
Cyclohexanol, 4-(1,1-dimethylethyl)-	98-52-2	1 - 2.5%
Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified)	27939-60-2, 68039-48-5, 68039-49-6, 68737-61-1, 35145-02-9, 36635-35-5, 68084-52-6	1 - 2.5%
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0	1 - 2.5%
Cyclohexene, 1-methyl-4-(1-methylethylidene)-	586-62-9	0.25 - 1%
Benzene, 1-methoxy-4-(1E)-1-propen-1-yl-	4180-23-8	0.25 - 1%
Cyclohexene, 1-methyl-4-(1-methylethethyl)-	138-86-3, 5989-27-5, 5989-54-8	0.25 - 1%
2,6-Octadienal, 3,7-dimethyl-	5392-40-5	0.25 - 1%
2,6-Octadien-1-ol, 3,7-dimethyl-, 1-acetate, (2E)-	105-87-3	0.25 - 1%
Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)-	103-95-7	0.25 - 1%
2-Oxabicyclo[2.2.2]octane, 1,3,3-trimethyl-	470-82-6	0.1 - 1%
2-Propenal, 2-methyl-3-phenyl-	101-39-3	0.1 - 0.25%
2H-Pyran, tetrahydro-4-methyl-2-(2-methyl-1-propen-1-yl)-	16409-43-1	0.1 - 0.25%

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical

In case of skin contact : If skin irritation persists, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.
 Remove contact lenses.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Issue Date Feb.14,2019

JEEBOSS

Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : no data available
Risks : no data available

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : no data available

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self contained breathing apparatus for fire fighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

SAFETY DATA SHEET

6.2 Environmental precautions

according to Regulation (EC) No. 1907/2006

Issue Date: Feb 14, 2019

JEEBOSS

Environmental precautions :

- Prevent product from entering drains.
- Prevent further leakage or spillage if safe to do so.
- If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up :

- Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
- Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

not applicable

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling :

- Do not breathe vapours/dust.
- Avoid exposure - obtain special instructions before use.
- Avoid contact with skin and eyes.
- For personal protection see section 8.
- Smoking, eating and drinking should be prohibited in the application area.
- Dispose of rinse water in accordance with local and national regulations.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers:

- Keep container tightly closed in a dry and well-ventilated place.
- Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions :

no data available

Advice on common storage :

no data available

German storage class :

no data available

Other data :

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) :

no data available

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Issue Date Feb.14,2019

JEEBOSS

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Hand protection :	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection :	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection :	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures :	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Environmental exposure controls

General advice :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminate
------------------	--

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state :	liquid
Form :	liquid
Colour :	grey
Taste :	not determined
Odour :	conforms to standard
Flash point :	60 °C
Vapour pressure :	0.86 hPa

SECTION10. STABILITY AND REACTIVITY

Conditions to avoid	: Remarks: Direct sources of heat.
Hazardous decomposition products	: Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.
Hazardous reactions	: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

SECTION 11. TOXICOLOGICAL INFORMATION

There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

SECTION 12. ECOLOGICAL INFORMATION

Avoid contamination of soil, ground and surface water.

SECTION 13. DISPOSAL CONSIDERATIONS

Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

UN number : Not applicable

Description of the goods : Car Air freshener

Transport hazard class(es) : Not applicable

Packaging group : Not applicable

Environmental hazard : Not applicable

Special precaution for users : Not applicable

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code : Not applicable

SECTION 15. Regulatory information

General information : No data available

Chemical safety assessment : No chemical safety assessment has been carried out for this mixture.

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R10 Flammable.
R22 Harmful if swallowed.
R36 Irritating to eyes.
R36/38 Irritating to eyes and skin.
R38 Irritating to skin.
R40 Limited evidence of a carcinogenic effect.
R41 Risk of serious damage to eyes.
R43 May cause sensitisation by skin contact.
R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Issue Date Feb.14,2019

JEEBOSS

R50 Very toxic to aquatic organisms.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51 Toxic to aquatic organisms.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R53 May cause long-term adverse effects in the aquatic environment.

R62 Possible risk of impaired fertility.

R65 Harmful: may cause lung damage if swallowed.

R68 Possible risk of irreversible effects.

Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H361f Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.